

FIG. 1




FIG. 2




Fig. 2





Fig. 3

FIG. 4 is a perspective view of a wedge-shaped member 640, which is a component of the device 100. The member 640 is shown in a perspective view, with its front face 64 and its side face 64b. The member 640 is a wedge-shaped member, and its front face 64 is a curved surface. The side face 64b is a flat surface. The member 640 is shown in a perspective view, with its front face 64 and its side face 64b. The member 640 is a wedge-shaped member, and its front face 64 is a curved surface. The side face 64b is a flat surface.

FIG. 4






Fig. 5




Fig. 6




Fig. 7





Fig. 8



97

Fig. 10




Fig. 11





FIG. 13 is a perspective view of the device of FIG. 12, showing the device in a closed position.






Fig. 14




Fig. 15







Fig. 16e




Fig 16e




Fig. 17

700




Fig. 18




Fig 19




Fig. 20




Fig. 21

FIG. 2a





FIG. 2a




[illegible]

FIG. 25




FIG. 2C

FIG. 27




FIG. 28




FIG. 29





FIG. 30



150

FIG. 31




FIG. 3a




FIG. 33

[illegible]

FIG. 34





FIG. 35






FIG. 37




FIG. 38




FIG. 39

276




FIG. 40




FIG. 4)




FIG. 4a




FIG. 43




FIG. 47

FIG. 44

FIG. 45 is a perspective view of the device 100 in a folded position.





FIG. 45

FIG. 46

FIG. 46






FIG. 50




FIG. 50




FIG. 51





Fig 52

Fig. 53






FIG. 55 is a perspective view of the device of FIG. 54, showing the device in a closed position. The device is shown in a perspective view, and the components are labeled with reference numerals. The device is shown in a perspective view, and the components are labeled with reference numerals.





Fig. 55



619
56




Fig. 57

800




Fig. 58




Fig. 59




Fig. 60